EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	228	koistinen.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/24 11:25
L2	5	halmet.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/24 11:25
L3	5	lepanaho.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/24 11:25
L4	233	l1 or l2 or l3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/24 11:25
L5	2	I4 and (load\$3 near4 balanc \$3).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/24 11:25
L12	9720	(obtain\$3 or determin\$3 or monitor\$3 or detect\$3) near5 (device or server or processor) near5 (communication or connection or link) near5 (state or status)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/24 11:30
L13	429	l12 and (load\$3 near3 balanc \$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/24 11:30
L14	172	113 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/24 11:30

L15	97	l14 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/24 11:30
L16	27	I15 and ((send\$3 or receiv\$3 or transmit\$4 or rout\$4 or forward\$3) near3 (device or server or processor) near3 (status or state or load))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/24 11:32
L17	2	"6185601".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/24 11:49
L18	21	l14 and "709"/226.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/24 12:38
L19	11	l14 and "709"/229.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/24 12:38
L20	5	l14 and "709"/201.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/24 12:38
L21	0	l14 and "709"/213.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/24 12:38
L22	10	l14 and "709"/238.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/24 12:38
L23	1	l14 and "709"/250.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/01/24 12:38
S1	29283	load near balanc\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 09:31

S 2	250	(resourc\$ and information and data) near packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 09:33
S3	29283	load near balanc\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 09:44
S4	3	(communication and storing and unit and maintaining) near packet	US-PGPUB; USPAT	ADJ	ON	2007/06/20 09:49
S5	0	(communication and storing and unit and maintaining) near balanc\$	US-PGPUB; USPAT	ADJ	ON	2007/06/20 09:39
S6	4	(communication and storing and unit and maintaining) near processor	US-PGPUB; USPAT	ADJ	ON	2007/06/20 09:48
S7	0	(communication and storing and unit and maintaining) near distribut\$	US-PGPUB; USPAT	ADJ	ON	2007/06/20 09:43
S9	6309	load near balanc\$.ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 09:44
S10	49571	communication and storing and unit and maintaining and processor	US-PGPUB; USPAT	ADJ	ON	2007/06/21 09:17
S11	20504	communication and storing and unit and maintaining and packet	US-PGPUB; USPAT	ADJ	ON	2007/06/20 09:49
S12	1924	S3 and S10 and S11	US-PGPUB; USPAT	ADJ	ON	2007/06/20 09:50
S13	113	S9 and S12	US-PGPUB; USPAT	ADJ	ON	2007/06/20 09:51
S14	0	S2 and S13	US-PGPUB; USPAT	ADJ	ON	2007/06/20 09:50
S15	18	S2 and S12	US-PGPUB; USPAT	ADJ	ON	2007/06/20 10:05
S16	2	"5796722".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 10:37
S18	2	"6272522".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 10:39

S19	2	"6014567".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 09:12
\$20	2	"5991808".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 09:13
S21	2	"6272522".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 09:14
\$22	2	"5978844".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 09:14
\$23	29340	load near balanc\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/25 08:29
S24	49703	communication and storing and unit and maintaining and processor	US-PGPUB; USPAT	ADJ	ON	2007/06/21 09:17
S25	20554	communication and storing and unit and maintaining and packet	US-PGPUB; USPAT	ADJ	ON	2007/06/21 09:17
S26	1927	S23 and S24 and S25	US-PGPUB; USPAT	ADJ	ON	2007/06/21 09:17
S27	681	S26 and "709".clas.	US-PGPUB; USPAT	ADJ	ON	2007/06/21 09:18
\$28	268	(resourc\$ and information and data) near packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/07 16:16
S29	2814	(load near3 balanc\$4) and (address\$3 near3 packet) and processor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 09:56
S30	0	S29 and (@ad<"06282002" or @rlad<"06282002")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 09:56

S31	1736	S29 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 09:57
S32	1616	S31 and (state or status or free or busy)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 09:58
S33	1546	S31 and (state or status)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 09:58
S34	14	S33 and ((lowest or least) adj load)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 09:59
\$35	115	S33 and ((lowest or least) near3 load)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 09:59
S36	52	S35 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 09:59
S37	1	S35 and "709"/201.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 09:59
S38	2	S35 and "709"/213.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 09:59
S39	10	S35 and "709"/238.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 09:59
S40	2	S35 and "709"/250.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 10:00

S41	0	S35 and "709"/247.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 10:00
S42	1	S35 and "709"/248.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 10:00
S43	3	S35 and "709"/249.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 10:00
S44	5	S35 and "707"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 10:00
S45	0	S35 and "715"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 10:00
S46	0	S35 and "725"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 10:00
S47	1	S35 and "705"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 10:00
S48	0	(process\$3 near\$3 packet) and ((obtain\$3 or get\$3 or request\$3 or find\$3) near3 ((connection and load) adj state))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:32
S49	750	((obtain\$3 or get\$3 or request \$3 or find\$3) near3 (connection adj state))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:33
S 50	281	((obtain\$3 or get\$3 or request \$3 or find\$3) near3 (load adj state))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:33

S51	1	S49 and S50	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:33
S52	0	(process\$3 near\$3 packet) and (load adj balanc)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:35
S53	0	(process\$3 near\$3 packet) and (load adj balanc\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:35
S54	0	(process\$3 near\$3 packet) and (load\$balanc\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:35
S55	185	load\$balanc\$4 near3 packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:36
S56	8	S55 and ((lowest or least or low\$3 or less\$3) adj (busy or load))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:37
S57	0	S56 and (@ad<"06282002" or @rlad<"06282002")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:37
S58	7	S56 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:38
S59	404	load\$balanc\$4 and ((lowest or least or low\$3 or less\$3) adj (busy or load))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:54
S60	0	S59 and (@ad<"06282002" or @rlad<"06282002")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:54

S61	253	S59 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:55
S62	3	S61 and (S49 or S50)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:55
S63	324	load\$balanc\$4 and ((lowest or least or less\$3) adj (busy or load))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:56
S64	212	S63 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:57
S65	0	S64 and (S49 or S50)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:57
S66	214	((load adj state) and (connection adj state))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:58
S67	0	S64 and S66	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:58
S68	214	S66 and (connection adj state)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:59
S69	214	S68 and (load adj state)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:59
S70	4	S64 and (connection adj state)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:59

S71	35	S64 and (load adj state)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:09
S72	34	S71 and connection	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:10
S73	34	S72 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:10
S74	18	S73 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:10
S75	2	S73 and "709"/226.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:10
S76	1	S73 and "709"/225.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:10
S77	3	S73 and "709"/227.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:10
S78	2	S73 and "709"/228.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:10
S79	1	S73 and "709"/201.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:11
S80	0	S73 and "709"/213.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:11

S81	0	S73 and "709"/238.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:11
S82	1	S73 and "709"/250.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:11
S83	18	S71 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:13
S84	17	S71 not S83	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:21
S85	0	S64 and (insert\$3 near3 connection near3 packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:25
S86	О	S64 and (insert\$3 near3 packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:25
S87	13	S64 and (insert\$3 near3 connection)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:26
S88	60	(load\$balanc\$3) and (insert \$3 near3 connection)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:34
S89	38	S88 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:34
S90	25	S89 not S87	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:41

S91	2	"6883095".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 11:42
S92	2	"6199102".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 11:45
S93	2	"20050055410"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 12:22
S94	74	"6351467"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 13:54
S95	2	"6351467".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 13:55
S96	3	(load adj balanc\$4) and (multi \$core near3 (digital adj signal))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 15:45
S97	0	S96 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 15:46
S98	39	(multi\$core near3 (digital adj signal))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 15:46
S99	18	S98 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 15:46
S100	3	S99 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 15:46

S101	0	S99 and (load near3 state)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 15:47
S102	7	S99 and load\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 15:47
S103	2	"20060053424"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 16:03
S104	3	"20050228736"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 16:20
S105	3	"20020152239"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 16:21
S106	195	insert\$ near5 (connection adj state)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 11:41
S107	3	insert\$ near5 (connection adj state) near5 packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 11:41
S108	1	S107 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 11:41
S109	1	S108 and (connection or load \$) near3 state	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 11:44
S110	2	(load adj balanc\$3) and (insert\$ near5 (connection adj state))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 11:51

S111	1	S110 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 11:51
S112	49900	load\$3 near2 balanc\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:09
S113	4831	S112 and ((low or lowest or least or less) near2 (busy or load))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:09
S114	2782	S113 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:09
S115	352	S114 and (received near2 packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:10
S116	167	S115 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:10
S117	27	S115 and "709"/226.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:10
S118	11	S115 and "709"/201.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:11
S119	23	S115 and "709"/238.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:11
S120	8	S115 and "709"/250.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:11

S121	49900	load\$3 near2 balanc\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:15
S122	4831	S121 and ((low or lowest or least or less) near2 (busy or load))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:15
S123	2782	S122 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:15
S124	352	S123 and (received near2 packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:15
S125	88	S124 and (load near2 (state or status))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:16
S126	8	S125 and ((connection or communication) near2 (state or status))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:16
S127	2	"7159230".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/09 14:24
S128	2	"20050086685"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/09 14:25
S129	2	"5745778".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/24 15:44
S130	1245	(load near2 balanc\$3) near3 packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/24 16:39

S131	17	S130 and ((least or lowest or less) near3 (busy or load) near3 processor)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/24 16:40
S132	10	S131 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/24 16:53
S133	1246	(load near2 balanc\$3) near3 packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 16:46
S134	236	S133 and ((least or lowest or less) near3 (busy or load))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 16:46
S135	131	S134 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 16:46
S136	36	S135 and ((different or multiple or plurality or many) near3 processor)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 16:48
S137	6	S136 and 709/226.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 17:30
S138	25	S136 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 17:30
S139	3	"11090920"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 18:52
S140	1246	(load near2 balanc\$3) near3 packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:11

S141	1	S140 and (insert\$3 near5 ((current near2 connection) or (connection near2 state)) near5 packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:12
S142	6	(insert\$3 near5 ((current near2 connection) or (connection near2 state)) near5 packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:13
S143	2	S142 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:14
S144	113	(insert\$3 or includ\$3) near5 ((current near2 connection) or (connection near2 state)) near5 packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:16
S145	55	S144 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:16
S146	5	S145 and (load near2 balanc \$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:17
S147	5405	(insert\$3 near3 (data or information or status or state) near3 packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:21
S148	44	S140 and S147	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:21
S149	25	S148 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:21
S150	0	S149 and boolean	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:21

S151	10	S140 and (boolean near3 state)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:44
S152	9	S151 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:44
S153	11088	(load near2 balanc\$3).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:48
S154	1	S153 and (boolean near3 state)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:48
S155	1736	(boolean near3 state)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:51
S156	10	S155 and (((load near3 balanc \$3) or scheduel\$3) near3 packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:52
S157	9	S156 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:53
S158	0	Booleanand (((load near3 balanc\$3) or scheduel\$3) near3 packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:54
S159	51	Boolean and (((load near3 balanc\$3) or scheduel\$3) near3 packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:54
S160	21	S159 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:54

S161	12	S160 not S151	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:54
S162	1	10/518,930	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/06 16:59
S163	2	"20030235194"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/06 17:14

EAST Search History (Interference)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	60	koistinen.in.	USPAT; UPAD	ADJ	ON	2011/01/24 11:26
L7	2	halmet.in.	USPAT; UPAD	ADJ	ON	2011/01/24 11:26
L8	1	lepanaho.in.	USPAT; UPAD	ADJ	ON	2011/01/24 11:26
L9	63	16 or 17 or 18	USPAT; UPAD	ADJ	ON	2011/01/24 11:26
L10	1	19 and (load\$3 near4 balanc \$3).clm.	USPAT; UPAD	ADJ	ON	2011/01/24 11:26
L11	2936	(obtain\$3 or determin\$3 or monitor\$3 or detect\$3) near5 (device or server or processor) near5 (communication or connection or link) near5 (state or status)	USPAT; UPAD	ADJ	ON	2011/01/24 11:29

1/24/2011 12:52:09 PM

C:\ Documents and Settings\ staha\ My Documents\ EAST\ Workspaces\ 10518930.wsp